



ESTD. 1995
SURANA COLLEGE

Moulding Character & Careers


Permanently Affiliated to Bangalore University
Re-accredited by NAAC with A+ Grade
Recognized under 2(f) & 12(B) of UGC
Accredited by IAO & Certified by ISO

RAJAT YATRA

CERTIFICATION

Date: 15.11.2021

This is to certify that the Surana College has sufficient facilities such as sports office room, play area for indoor and outdoor sports/games, gym, yoga and cultural activities. The details of the said sports infrastructure are enclosed herewith GEOTAGGED PHOTOGRAPHS from page no.2 to 17.


DIRECTOR -IQAC
IQAC Director
Surana College
Bengaluru


PRINCIPAL
PRINCIPAL
SURANA COLLEGE
16, South End Road,
Bangalore - 560 004.



4.1.2 Adequate facilities for sports, games, gymnasium and others



Sports Administrative Room @ South End Campus



Sports Record Room @ South End Campus

Dr. Satyanarayana B.R
Criterion-IV Incharge



Dr. A. Srinivas
Director-IQAC

Dr. Bhavani. M. R
Principal



INFRASTRUCTURE AND LEARNING RESOURCES

Date: 15 - 11 - 2021
d / m / y



Gymnasium @ South End Campus

Dr. Satyanarayana B.R
Criterion-IV Incharge


Dr. A. Srinivas
Director-IQAC

Dr. Bhavani. M. R
Principal



INFRASTRUCTURE AND LEARNING RESOURCES

Date: 15 - 11 - 2021
d / m / y



Indoor Games @ South End Campus

Dr. Satyanarayana B.R
Criterion-IV Incharge

Dr. A. Srinivas
Director-IQAC

Dr. Bhavani. M. R
Principal





SURANA COLLEGE

Moulding Character & Careers


Internal
Quality
Assurance
Cell


INFRASTRUCTURE AND LEARNING RESOURCES


Date: 15 - 11 - 2021
d / m / y



Indoor Game Facility @ Kengeri Campus


 Dr. Satyanarayana B.R
 Criterion-IV Incharge



 Dr. A. Srinivas
 Director-IQAC


 Dr. Bhavani. M. R
 Principal





INFRASTRUCTURE AND LEARNING RESOURCES

Date: 15 - 11 - 2021
d / m / y



Shuttle Badminton Court @ South End Campus


Dr. Satyanarayana B.R
Criterion-IV Incharge


Dr. A. Srinivas
Director-IQAC


Dr. Bhavani. M. R
Principal



7848821222

ಶ್ರೀಮತೇ ಶ್ರೀಮದ್ವಿವೇಕಾನಂದೇ ನಮಃ

ಬಿ.ಎಸ್. ಸತ್ಯನಾರಾಯಣ
ಮಹಾಪೌರರು
ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ

ಸಂಖ್ಯೆ: ಎಂಪಿಎಸ್/ಪಿಆರ್/ಸಿ 12 /2013-14. ದಿನಾಂಕ: 30-09-2013.

ಐಪ್ಪಣೆ

ಸೂರಾನಾ ಕಾಲೇಜ್, ನಂ.16, ಸೌತ್-ಎಂಡ್ ರಸ್ತೆ, ಬೆಂಗಳೂರು-560004 ಇವರು ಮನವಿಯೊಂದನ್ನು ಸಲ್ಲಿಸಿ ತಮ್ಮ ಕಾಲೇಜಿನಲ್ಲಿ ಸುಮಾರು 60 ಜನ ವಿದ್ಯಾರ್ಥಿಗಳು ಕ್ರೀಡೆಯಲ್ಲಿ ಸಕ್ರಿಯವಾಗಿ ಭಾಗವಹಿಸುತ್ತಿದ್ದು, ಸದಲಯವರುಗಳಿಗೆ ಬನವನಗುಡಿ ಪಟಾಲಮ್ಮ ರಸ್ತೆಯಲ್ಲಿರುವ ಅರುಮುಗಂ ವೃತ್ತ ಕ್ರೀಡಾಂಗಣದಲ್ಲಿ ಪ್ರತಿವಿವಸ ಕ್ರೀಡಾಚಟುವಟಿಕೆಗೆ ಸಂಬಂಧಿಸಿದಂತೆ ಅಭ್ಯಾಸ ನಡೆಸಲು ಅನುಮತಿ ನೀಡಲು ಕೋರಿದ್ದು, ಸದಲ ಕ್ರೀಡಾಪಟುಗಳಿಗೆ ಅಭ್ಯಾಸ ನಡೆಸುವ ಸಂದರ್ಭದಲ್ಲಿ ಸಾರ್ವಜನಿಕರಿಗೆ ಯಾವುದೇ ವಿಧವಾದ ಅಡ್ಡಿತಂಕ ನೀಡದೆ ಕೇವಲ ಕ್ರೀಡಾಚಟುವಟಿಕೆಗೆ ಮಾತ್ರ ಭಾಗವಹಿಸುವುದಾಗಿ ಕೋರಲಿರುವುದರಿಂದ ಇವರ ಮನವಿಯನ್ನು ನಿಯಮಾನುಸಾರ ಪರಿಗಣಿಸಿ ಕೂಡಲೇ ಸದಲ ಕಾಲೇಜಿನ ವಿದ್ಯಾರ್ಥಿಗಳಿಗೆ ಕ್ರೀಡಾಚಟುವಟಿಕೆಗಳಿಗೆ ಭಾಗವಹಿಸಲು ಅನುವು ಮಾಡಿಕೊಡಬೇಕೆಂದು ಈ ಮೂಲಕ ಸೂಚಿಸುತ್ತೇನೆ.

ಮಹಾಪೌರರು

ಜಂಟಿ ಅಯುಕ್ತರು (ದಕ್ಷಿಣ)

ಅಪರ ಅಯುಕ್ತರು (ದಕ್ಷಿಣ) ಕವರ್ ಕಾಲೇರಿ
ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ,
2ನೇ ಟೌನ್, ಜಯನಗರ, ಬೆಂಗಳೂರು.
ಸಂಖ್ಯೆ: GC/268/13-14
ದಿನಾಂಕ: 30/9/13

ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ, ನರಸಿಂಹರಾಜ ವೃತ್ತ, ಬೆಂಗಳೂರು - 560 002
ಕಛೇರಿ : 080-22238540, 22248366, 22975501, ಫ್ಯಾಕ್ಸ್ : 080-22237457, ಮೊ. : 9341220836

Dr. Satyanarayana B.R
Criterion-IV Incharge

Dr. A. Srinivas
Director-IQAC

Dr. Bhavani. M. R
Principal



TRANSLATED CONTENT

No. MPS/PR.812-2013-14

Date: 30-09-2013

NOTE

As request submitted by Surana College, South End Road, Basavanagudi, Bangalore - 04, about 60 students of their college engaging actively in sports activities. Hence, they requested for permission to make use of Armugam Circle Sports Ground for students practice and also they assured that they are using the same for the purpose of sports activities only without any disturbance to public. So, I am directing Joint Commissioner (South) to accord permission as per the norms.

Sd/-
Mayor, BBMP

To,
The Joint Commissioner (South)
BBMP, Bangalore
No. GL/268/13-14 Dated 30//9/13

ATTESTED

S. Samuel
Principal
SURANA COLLEGE
SOUTH END ROAD
BANGALORE - 4

Dr. Satyanarayana B.R
Criterion-IV Incharge

Dr. A. Srinivas
Director-IQAC

Dr. Bhavani. M. R
Principal



INFRASTRUCTURE AND LEARNING RESOURCES

Date: 15 - 11 - 2021
d / m / y



Annual Sports Meet @ BBMP's Armugam Sports Ground

Dr. Satyanarayana B.R
Criterion-IV Incharge

Dr. A. Srinivas
Director-IQAC

Dr. Bhavani. M. R
Principal



SURANA COLLEGE

Moulding Character & Careers

Internal
Quality
Assurance
Cell

INFRASTRUCTURE AND LEARNING RESOURCES

Date: 15 - 11 - 2021
d / m / y

Surana College



South End Road Bangalore-560004

Department Of Physical Education

GCS CHAMPIONS CRICKET TROPHY 2021

T-20 CORPORATE TOURNAMENT BANGALORE



Dr. Satyanarayana B.R
Criterion-IV Incharge

Dr. A. Srinivas
Director-IQAC

Dr. Bhavani. M. R
Principal



SURANA COLLEGE

Moulding Character & Careers

Internal
Quality
Assurance
Cell

INFRASTRUCTURE AND LEARNING RESOURCES

Date: 15 - 11 - 2021
d / m / y



Dr. Satyanarayana B.R
Criterion-IV Incharge

Dr. A. Srinivas
Director-IQAC

Dr. Bhavani. M. R
Principal



INFRASTRUCTURE AND LEARNING RESOURCES

Date: 15 - 11 - 2021
d / m / y



18, S End Rd, Jayanagar, Bengaluru,
Karnataka 560070, India

Latitude

12.9364766°

Longitude

77.5782666°

Local 10:36:24 AM

GMT 05:06:24 AM

Altitude 832.4 meters

Monday, 15-11-2021

Yoga and Cultural practice room @ South End Campus

Dr. Satyanarayana B.R
Criterion-IV Incharge

Dr. A. Srinivas
Director-IQAC

Dr. Bhavani. M. R
Principal



INFRASTRUCTURE AND LEARNING RESOURCES

Date: 15 – 11- 2021
d / m / y



Yoga Day Celebration @ South End Campus

Dr. Satyanarayana B.R
Criterion-IV Incharge

Dr. A. Srinivas
Director-IQAC

Dr. Bhavani. M. R
Principal





SURANA COLLEGE

Moulding Character & Careers

Internal
Quality
Assurance
Cell

INFRASTRUCTURE AND LEARNING RESOURCES

Date: 15 - 11 - 2021
d / m / y



Auditorium @ Kengeri Campus

Dr. Satyanarayana B.R
Criterion-IV Incharge


Dr. A. Srinivas
Director-IQAC

Dr. Bhavani. M. R
Principal



INFRASTRUCTURE AND LEARNING RESOURCES

Date: 15 - 11 - 2021
d / m / y



Seminar Hall @ Kengeri Campus

Dr. Satyanarayana B.R
Criterion-IV Incharge

Dr. A. Srinivas
Director-IQAC

Dr. Bhavani. M. R
Principal



INFRASTRUCTURE AND LEARNING RESOURCES


Date: 15 – 11- 2021
d / m / y



18, S End Rd, Jayanagar, Bengaluru,
Karnataka 560070, India

Latitude 12.93645° Longitude 77.578166°

Local 10:37:19 AM Altitude 832.4 meters
GMT 05:07:19 AM Monday, 15-11-2021



18, S End Rd, Jayanagar, Bengaluru,
Karnataka 560070, India

Latitude 12.9364733° Longitude 77.5781778°

Local 10:38:56 AM Altitude 832.4 meters
GMT 05:08:56 AM Monday, 15-11-2021

Seminar Hall @ South End Campus

Dr. Satyanarayana B.R
Criterion-IV Incharge

Dr. A. Srinivas
Director-IQAC

Dr. Bhavani. M. R
Principal



Cultural Program @ South End Camps

Dr. Satyanarayana B.R
Criterion-IV Incharge

Dr. A. Srinivas
Director-IQAC

Dr. Bhavani. M. R
Principal



Surana College Infrastructure Details 2020-21

Particulars	Land Area		Built-up Area		Carpet Area	
	In Acres	In SqMts	SqFts	In SqMts	SqFts	In SqMts
Kengeri Total B	0.52	2108.42	55890.77	5192.33	36567.00	3397.19
South End Total A	0.67	2699.26	79750.81	7409.00	59842.00	5559.50
TOTAL	1.19	4807.69	135641.58	12601.33	96409.00	8956.69

KENGERI CAMPUS

Floor	Number	Type	Carpet Area (SqFt)		Nos./Capacity
KG	-	Reception Space	20*22	440	
	-	Board room	16x20	320	
	-	Trustee cabin	14x20	280	
	-	L&D cabin	14x20	280	
	-	medical room	12x20	240	
	-	Washroom	10x8	80	
	-	Dean Cabin	18x12	216	
	-	Placement Cabin	8x12	96	
	-	Research room	24x30	720	
	-	MBA Lab	24x54	1296	
	-	Library	68x24	1632	
	-	Administration Office	32x22	704	
	-	Ladies Toilet	20x18	360	
	-	Gents Toilet	26x18	468	
	-	Drinking water unit	-	-	1
	-	Rainwater Harvesting	30x20	600	
	-	Panel Room	16x10	160	
	-	UPS Room	10x12	120	
-	Generator room	15x8	120		
-	Parking Area	10x100	1000		

Dr. Satyanarayana B.R
Criterion-IV Incharge

Dr. A. Srinivas
Director-IQAC

Dr. Bhavani. M. R
Principal



INFRASTRUCTURE AND LEARNING RESOURCES

Date: 15 – 11- 2021
d / m / y

Floor	Number	Type	Carpet Area (SqFt)		Nos./Capacity
K1	101	Classroom	14x24	336	
	102	Classroom	14x24	336	
	103	Classroom	26x22	572	
	104	Classroom	26x22	572	
	105	Classroom	24x22	528	
	106	Classroom	22x16	352	
	107	Classroom	26x20	520	
	108	Classroom	26x14	364	
	109	Classroom	26x14	364	
	-	Staff Room	16x8	128	
	-	Staff Room	16x8	128	
	-	Ladies Washroom	6x8	48	
	-	Gents Washroom	6x8	48	
	-	Administration Office	20x10	200	
	-	principal Cabin	22x10	220	
	-	Server room	10x8	80	
	-	Library	22x10	220	
	-	Drinking water unit	9x8	72	
	K2	-	MCA Lab	44x95	4180
-		MCA Staff room	22x10	220	
-		MBA Staffroom	26x10	260	
		Seminar Hall	38x41	1558	100
201		Classroom	32x26	832	
202		Classroom	24x24	576	
203		Classroom	20x24	480	
204		Classroom	20x26	520	
205		Classroom	20x26	520	
-		Ladies Toilet	25x18	450	
-	Gents Toilet	25x18	450		
-	Drinking water unit	9x8	72		

Dr. Satyanarayana B.R
Criterion-IV Incharge

Dr. A. Srinivas
Director-IQAC

Dr. Bhavani. M. R
Principal



INFRASTRUCTURE AND LEARNING RESOURCES

Date: 15 – 11- 2021
d / m / y

Floor	Number	Type	Carpet Area (SqFt)		Nos./Capacity
K3	-	MSc Lab	14x22	308	
	-	MSC Staffroom	8x24	192	
	301	Classroom	28x26	728	
	302	Classroom	28x26	728	
	303	Classroom	28x20	560	
	304	Classroom	24x20	480	
	305	Classroom	22x26	572	
	-	Auditorium	85x35	2975	275
	-	Ladies Toilet	14x10	140	
	-	Gents Toilet	18x12	216	
	-	Drinking water unit	9x8	72	
K4	-	Canteen	48x24	1152	
	-	Sports room	30x35	1050	
	-	MSc Lab	50x40	2000	
	-	Storeroom	8x8	64	
	401	Classroom	20x16	320	
	-	fire extinguisher Water Tank	100x6	600	
	-	Drinking water unit	9x8	72	
Total B			36567.00		

Dr. Satyanarayana B.R
Criterion-IV Incharge

Dr. A. Srinivas
Director-IQAC

Dr. Bhavani. M. R
Principal



SOUTH END CAMPUS

Floor	Number	Type	Carpet Area (SqFt)		Nos./Capacity
MB1	-	Seminar Hall	83x21	1743	200
	-	NSS	18x12	216	
	-	UPS	23x15	345	
	-	Tool/Panel Room	22x9	198	
	-	Maintanance	23x13	299	
	-	Yoga & Cultural Room	20*21	420	
	-	NCC	23x21	483	
	-	Records Room	23x22	506	
	-	CCTV Camera	-	-	9
	-	Fire Extinguisher	-	-	12
MB2	B1	Classroom	34x22	748	
	B2	Classroom	28x20	560	
	B3	Classroom	32x22	704	
	B4	Classroom	22x23	506	
	B5	Classroom	22x10	220	
	B6	Classroom	20x18	360	
	-	CCTV Camera	-	-	8
	-	Fire Extinguisher	-	-	12

Dr. Satyanarayana B.R
Criterion-IV Incharge

Dr. A. Srinivas
Director-IQAC

Dr. Bhavani. M. R
Principal



INFRASTRUCTURE AND LEARNING RESOURCES

Date: 15 – 11- 2021
d / m / y

Floor	Number	Type	Carpet Area (SqFt)		Nos./Capacity
MG	001	English Department	22x11	242	
	002	Classroom	22x22	484	
	002A	Psychology Lab	23x21	483	
	002B	Counseling Room	22x10	220	
	002C	Management Trustee's Chamber	34x23	782	
	003	Classroom	22x23	506	
	004	Classroom	22x23	506	
	005	Board Room	34x23	782	
	006	Office	34x23	782	
	007	Security Post	10x12	120	
	-	Four-Wheeler Parking	77x22	1694	
	008	Reception	20x23	460	
	009	Principal's Chamber	10x10	100	
	011	IQAC Room	10x23	230	
	012	Examination Section	20x23	460	
	013	Classroom	34x23	782	
	014	Gents Washroom	20x18	360	
	-	Drinking water Unit	-	-	1
	-	Shuttle Cock Court	80x34	2720	
	-	Two-wheeler Parking	234x15	3510	
	-	Borewell	-	-	1
	-	Sumps	-	-	1 (5000 Lts)
	-	Rainwater storage sump	-	-	2
	-	Solar panels & Lights	-	-	12
-	Transformer	-	-	1	
-	CCTV Camera	-	-	21	
-	Fire Extinguisher	-	-	6	

Dr. Satyanarayana B.R
Criterion-IV Incharge

Dr. A. Srinivas
Director-IQAC

Dr. Bhavani. M. R
Principal



INFRASTRUCTURE AND LEARNING RESOURCES

Date: 15 – 11- 2021
d / m / y

Floor	Number	Type	Carpet Area (SqFt)		Nos./Capacity
M1	101	Classroom	32x22	704	
	102	Classroom	25x23	575	
	103	Classroom	34x23	782	
	103A	Staff Room	20x17	340	
	104	Humanities Dept.	20x12	240	
	105	Classroom	22x23	506	
	106	Classroom	22x23	506	
	107	Classroom	22x23	506	
	108	Classroom	34x23	782	
	109	Classroom	34x23	782	
	109A	Biotechnology Lab -1	23x23	529	
	110	Classroom	30x23	690	
	111	Language Department	14x23	322	
	112	Commerce Department	20x23	460	
	113	Biotechnology Lab -2	12x23	276	
	114	Ladies Washroom	21x16	336	
	115	Gents Washroom (SA)	17x15	255	
	-	Drinking Water Unit	-	-	1
	-	CCTV Camera	-	-	13
-	Fire Extinguisher	-	-	4	

Dr. Satyanarayana B.R
Criterion-IV Incharge

Dr. A. Srinivas
Director-IQAC

Dr. Bhavani. M. R
Principal



INFRASTRUCTURE AND LEARNING RESOURCES

Date: 15 – 11- 2021
d / m / y

Floor	Number	Type	Carpet Area (SqFt)		Nos./Capacity
M2	201	Classroom	32x22	704	
	202	Classroom	25x23	575	
	203	Classroom	34x23	782	
	203A	Staff Room	20x17	340	
	204	Classroom	11x23	253	
	205	Classroom	11x23	253	
	206	Classroom	22x23	506	
	207	Classroom	22x23	506	
	208	Classroom	34x23	782	
	209	Classroom	34x23	782	
	209A	Management Department	24x12	288	
	209B	MCom Department	12x10	120	
	210	Classroom	33x23	759	
	211	Classroom	22x23	506	
	212	Classroom	22x23	506	
	213	Ladies' washroom	21x16	336	
	214	Gents Washroom	17x15	255	
	-	Drinking water unit	-	-	1
	-	CCTV Camera	-	-	13
-	Fire Extinguisher	-	-	3	

Dr. Satyanarayana B.R
Criterion-IV Incharge

Dr. A. Srinivas
Director-IQAC

Dr. Bhavani. M. R
Principal



INFRASTRUCTURE AND LEARNING RESOURCES

Date: 15 – 11- 2021
d / m / y

Floor	Number	Type	Carpet Area (SqFt)		Nos./Capacity
M3	301	Classroom	32x22	704	
	302	Classroom	25x23	575	
	303	Classroom	34x23	782	
	303A	Computer Science Lab -1	35x23	805	
	303B	Computer Science Lab -2	43x23	989	
	303C	Computer Science Lab -3	37x23	851	
	304	Classroom	33x23	759	
	305	Classroom	22x23	506	
	306	Classroom	33x21	693	
	307	Classroom	21x23	483	
	308	Classroom	21x23	483	
	309	Ladies' Washroom	21x16	336	
	310	Gents' Washroom	17x15	255	
	-	Drinking water Unit	-	-	1
	-	CCTV Cameras	-	-	13
-	Fire Extinguishers	-	-	15	
M4	401	Mathematics Dept	17x14	238	
	402	Library	105x25	2625	
	402A	Botany Lab & Department	34x23	782	
	403	Classroom	12x15	180	
	403A	Chemistry Lab & Department	46x23	1058	
	403B	Physics Lab & Department	43x23	989	
	404	Classroom	24x23	552	
	-	Gents' washroom	12x10	120	
	-	Drinking water unit	-	-	1
	-	CCTV Cameras	-	-	16
	-	Fire Extinguishers	-	-	15

Dr. Satyanarayana B.R
Criterion-IV Incharge

Dr. A. Srinivas
Director-IQAC

Dr. Bhavani. M. R
Principal



INFRASTRUCTURE AND LEARNING RESOURCES

Date: 15 – 11- 2021
d / m / y

Floor	Number	Type	Carpet Area (SqFt)		Nos./Capacity
SB	-	Sports Dept	12x11	132	
	-	Indoor Games	16x23	368	
	-	Gym	22x22	484	
	-	CCTV Camera	-	-	2
	-	Fire Extinguisher	-	-	2
SG	SB01	Medical Room	12x9	108	
	SB02	Canteen	28x35	980	
	-	Water Sump	-	-	1
	-	Generator Set	-	-	1
	-	CCTV Camera	-	-	3
	-	Fire Extinguisher	-	-	2
S1	SB11	Staff Room	12x9	108	
	SB12	Classroom	28x18	504	
	SB13	Classroom	28x18	504	
	-	CCTV Camera	-	-	3
	-	Fire Extinguisher	-	-	1
S2	SB21	Staff Room	12x9	108	
	SB22	Classroom	28x18	504	
	SB23	Classroom	28x18	504	
	-	CCTV Camera	-	-	3
	-	Fire Extinguisher	-	-	1
S3	SB31	Sports Equipment's Storeroom	12x9	108	
	SB32	Classroom	28x18	504	
	SB33	Classroom	28x18	504	
	-	CCTV Camera	-	-	3
	-	Fire Extinguisher	-	-	1
S4	-	Gents' Washroom	16x12	192	
	-	Ladies' Washroom	10x9	90	
	-	CCTV Camera	-	-	1
	-	Fire Extinguisher	-	-	0
Total A			59842.00		

Dr. Satyanarayana B.R
Criterion-IV Incharge

Dr. A. Srinivas
Director-IQAC

Dr. Bhavani. M. R
Principal



INFRASTRUCTURE AND LEARNING RESOURCES

Date: 15 - 11 - 2021
d / m / y

Particulars		Kengeri	South End	Total
Classrooms	With ICT	15	24	39
	Without ICT	5	23	28
	Total	20	47	67
Auditorium (with ICT)		1		1
Seminar Hall (with ICT)		1	1	2
Libraries		1	1	2
Laboratories		4	9	13

Dr. Satyanarayana B.R
Criterion-IV Incharge

Dr. A. Srinivas
Director-IQAC

Dr. Bhavani. M. R
Principal